

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Abundance	#
			Status	Family	Status	Pops.
<i>Agrostis gigantea</i> Roth *	Redtop	PG	FACW	Poaceae	R	2
<i>Agrostis stolonifera</i> L. [var. <i>palustris</i> (Hudson) Pers.] *	Creeping Bentgrass	PG	FACW	Poaceae	S	1
<i>Ailanthus altissima</i> (Miller) Swingle *	Tree-of-Heaven	T	FACU	Hippocastinaceae	U	1
<i>Aloe</i> sp. *	Aloe	PG	.	Asphodelaceae	R	1
<i>Arundo donax</i> L. *	Giant Reed	PG	FACW	Poaceae	C	1
<i>Avena barbata</i> Link. *	Slender Wild Oat	AG	.	Poaceae	C	6
<i>Avena fatua</i> L. *	Wild Oat	AG	.	Poaceae	C	2
<i>Bidens pilosa</i> L. *	Common Beggar-ticks	AH	FAC	Asteraceae	S	1
<i>Brassica nigra</i> (L.) Koch *	Black Mustard	AH	.	Brassicaceae	C	2
<i>Brassica rapa</i> L. var. <i>rapa</i> *	Field Mustard	AH	FACU	Brassicaceae	S	1
<i>Bromus arenarius</i> Labill. *	Australian Brome	AG	FACU	Poaceae	R	1
<i>Bromus diandrus</i> Roth. ssp. <i>diandrus</i> *	Ripgut Grass	AG	(FACU)	Poaceae	C	7
<i>Bromus hordeaceus</i> L. ssp. <i>hordeaceus</i> *	Soft Chess	AG	FACU	Poaceae	C	6
<i>Bromus madritensis</i> L. ssp. <i>madritensis</i> *	Madrid Brome, Foxtail Chess	AG	UPL	Poaceae	S	1
<i>Bromus rubens</i> L. *	Red Brome	AG	UPL	Poaceae	C	7
<i>Bromus tectorum</i> L. *	Downy Brome, Cheat Grass	AG	.	Poaceae	C	1
<i>Capsella bursa-pastoris</i> (L.) Medikus var. <i>bursa-pastoris</i> *	Shepherd's Purse	AH	FACU	Brassicaceae	O	1
<i>Carduus pycnocephalus</i> L. ssp. <i>pycnocephalus</i> *	Italian Thistle	AH	.	Asteraceae	C	1
<i>Centaurea melitensis</i> L.	Tocalote, Napa Thistle	AH	.	Asteraceae	C	5
<i>Centaurea stoebe</i> ssp. <i>micranthos</i> (Gugler) Hayek	Spotted Knapweed	BH	.	Asteraceae	R	1
<i>Cerastium glomeratum</i> Thuill. *	Mouse-ear Chickweed	AH	UPL	Caryophyllaceae	S	2
<i>Chenopodium album</i> L. *	Lamb's Quarters, Pigweed, White Goosefoot	AH	FACU	Chenopodiaceae	C	1
<i>Cistus incanus</i> L. *	Hairy Rock-rose	S	.	Cistaceae	R	1
<i>Conyza bonariensis</i> (L.) Cronq. *	Flax-leaved Fleabane, South American Horseweed	AH	FACU	Asteraceae	O	1
<i>Cotoneaster pannosus</i> Franchet *	Cotoneaster	S	.	Rosaceae	R	1
<i>Cotula australis</i> (Sieber) Hooker f. *	Australian Brass-buttons	AH	FAC	Asteraceae	U	1
<i>Cynodon dactylon</i> (L.) Pers. var. <i>dactylon</i> *	Bermuda Grass	PG	FACU	Poaceae	C	1
<i>Dactylis glomerata</i> L. *	Orchard Grass	PH	FACU	Poaceae	U	1
<i>Elytrigia intermedia</i> (Host) Nevski ssp. <i>intermedia</i> *	Intermediate Wheatgrass	PG	.	Poaceae	R	1
<i>Erodium botrys</i> (Cav.) Bertol. *	Broadleaf Filaree	AH	FACU	Geraniaceae	S	1
<i>Erodium cicutarium</i> (L.) L'Her. *	Redstem Filaree	AH	.	Geraniaceae	C	5
<i>Erodium moschatum</i> (Burm. F.) L'Her. var. <i>moschatum</i> *	Whitestem Filaree	AH	.	Geraniaceae	O	3
<i>Eucalyptus globulus</i> Labill. var. <i>globulus</i> *	Tasmanian Blue Gum	T	.	Myrtaceae	S	1
<i>Eucalyptus sideroxylon</i> A. Cunn. ex Woolls *	Red Ironbark	T	.	Myrtaceae	R	1
<i>Foeniculum vulgare</i> P. Mill. *	Sweet Fennel	PH	(FACU)	Apiaceae	C	1
<i>Galium parisiense</i> L. *	Wall Bedstraw	AH	UPL	Rubiaceae	R	1
<i>Gastidium phleoides</i> (Nees & Meyen) C.E. Hubb. *	Nit Grass	AG	FACU	Poaceae	S	2
<i>Hirschfeldia incana</i> (L.) Lagr.-Fossat *	Summer Mustard	PH	(FACU)	Brassicaceae	C	7
<i>Hordeum murinum</i> ssp. <i>glaucum</i> (Steudel) Tzvelev *	Summer Barley	AG	FACU	Poaceae	C	2
<i>Hordeum murinum</i> ssp. <i>leporinum</i> (Link) Arcang. *	Hare Barley	AG	FACU	Poaceae	C	3
<i>Hordeum vulgare</i> L. var. <i>vulgare</i> *	Common Barley	AG	.	Poaceae	S	1
<i>Hypochaeris glabra</i> L.	Smooth Cat's-ear	AH	.	Asteraceae	O	3
<i>Ipomoea purpurea</i> (L.) Roth	Common Morning-glory	PV	?	Convolvulaceae	U	1
<i>Lactuca saligna</i> L. *	Willow Lettuce	BH	UPL	Asteraceae	U	2
<i>Lactuca serriola</i> L. *	Prickly Wild Lettuce	AH	FACU	Asteraceae	C	5
<i>Lamarckia aurea</i> (L.) Moench *	Goldentop	AG	FACU	Poaceae	C	4
<i>Lamium amplexicaule</i> L. *	Henbit, Dead Nettle	AH	.	Lamiaceae	U	1
<i>Lepidium latifolium</i> L. *	Broadleaf Peppergrass	PH	FAC	Brassicaceae	S	1

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Logfia gallica</i> (L.) Coss. & Germ. *	Woolly Filago	AH	.	Asteraceae	S	2	
<i>Lolium multiflorum</i> Lam. *	Italian Ryegrass	AG	FAC	Poaceae	C	1	
<i>Lonicera japonica</i> Thunb. *	Japanese Honeysuckle	S	FACU	Caprifoliaceae	R	1	
<i>Lysimachia</i> [<i>Anagallis</i>] <i>arvensis</i> (L.) U. Manns & Anderb. *	Scarlet Pimpernel	AH	FAC	Myrsinaceae	C	3	
<i>Malva parviflora</i> L. *	Cheeseweed	AH	.	Malvaceae	C	1	
<i>Malva verticillata</i> L. var. <i>crispa</i> L. *	Crisped or Curled Mallow	BH	.	Malvaceae	R	1	
<i>Marrubium vulgare</i> L. *	White Horehound	S	FACU	Lamiaceae	C	7	
<i>Medicago polymorpha</i> L. *	Common Burclover	AH	FACU	Fabaceae	C	4	
<i>Melilotus albus</i> Medikus *	White Sweetclover	A/BH	(FACU)	Fabaceae	C	4	
<i>Melilotus indicus</i> (L.) All. *	Sourclover, Yellow Sweetclover	AH	FACU	Fabaceae	C	3	
<i>Nicotiana glauca</i> Graham *	Tree Tobacco	S	FAC	Solanaceae	C	3	
<i>Oloptum miliaceum</i> (L.) Roser & Hamasha *	Smilo Grass	PG	(FACU)	Poaceae	C	5	
<i>Parkinsonia aculeata</i> L. *	Palo Verde	T/S	FAC	Fabaceae	U	2	
<i>Paspalum dilatatum</i> Poiret *	Dallis Grass	PG	FAC	Poaceae	O	1	
<i>Pennisetum setaceum</i> Forskal *	African Fountain Grass	PG	.	Poaceae	S	1	
<i>Phalaris canariensis</i> L. *	Canarygrass	AG	FACU	Poaceae	S	1	
<i>Phalaris paradoxa</i> L. *	Hood Canarygrass	AG	FAC	Poaceae	U	1	
<i>Plantago lanceolata</i> L. *	Narrowleaf or English Plantain, Ribgrass	PH	FAC-	Plantaginaceae	S	2	
<i>Plantago major</i> L. *	Broadleaf Plantain	PH	FAC	Plantaginaceae	S	1	
<i>Poa annua</i> L. *	Annual Bluegrass	AG	FACU	Poaceae	S	1	
<i>Silene gallica</i> L. *	Windmill Pink	AH	.	Caryophyllaceae	C	2	
<i>Sisymbrium orientale</i> L. *	Eastern Mustard, Hare's Ear Cabbage	AH	.	Brassicaceae	S	1	
<i>Sonchus asper</i> (L.) Hill ssp. <i>asper</i> *	Prickly Sow-thistle	AH	FAC	Asteraceae	C	2	
<i>Spartium junceum</i> L. *	Spanish Broom	S	.	Fabaceae	O	2	
<i>Stellaria media</i> (L.) Vill. *	Common Chickweed	AH	FACU	Caryophyllaceae	S	5	
<i>Acer macrophyllum</i> Pursh var. <i>macrophyllum</i>	Bigleaf Maple	T	FAC	Sapindaceae	O	7	
<i>Achillea millefolium</i> var. <i>californica</i> (Pollard) Jepson	California White Yarrow	PH	FACU	Asteraceae	U	1	
<i>Acmispon americanus</i> (Nuttall) Rydb. var. <i>americanus</i>	Spanish Clover, American Birds-foot Trefoil	AH	UPL	Fabaceae	O	4	
<i>Acmispon brachycarpus</i> (Bentham) D.D. Sokoloff	Hill Lotus, Short-podded Hosackia	AH	.	Fabaceae	O	1	
<i>Acmispon glaber</i> (Vogel) Brouillet var. <i>glaber</i>	Deerweed, California Broom	PH	.	Fabaceae	C	7	
<i>Acmispon maritimus</i> (Nuttall) D.D. Sokoloff var. <i>maritimus</i>	Coastal Lotus or Hosackia	AH	.	Fabaceae	C	1	
<i>Acmispon parviflorus</i> (Bentham) D.D. Sokoloff	Tiny Lotus	AH	.	Fabaceae	R	1	
<i>Acmispon strigosus</i> (Nuttall) Brouillet var. <i>strigosus</i>	Strigose Lotus or Hosackia	AH	.	Fabaceae	C	2	
<i>Acourtia microcephala</i> DC.	Sacapellote	PH	.	Asteraceae	C	8	
<i>Adenostoma fasciculatum</i> Hook. & Arn. var. <i>fasciculatum</i>	Chamise	S	.	Rosaceae	C	9	
<i>Adiantum capillus-veneris</i> L.	Southern Maidenhair, Venushair Fern	PF	FACW	Pteridaceae	S	2	
<i>Adiantum jordanii</i> Müller Halle	California Maidenhair	PF	FAC	Pteridaceae	C	7	
<i>Agoseris heterophylla</i> (Nutt.) Greene var. <i>heterophylla</i>	Mountain Dandelion	AH	.	Asteraceae	O	1	
<i>Allium praecox</i> Brandegee	Early Onion	PG	.	Alliaceae	R	1	
<i>Allophyllum divaricatum</i> (Nuttall) A.D. Grant & V. Grant	Divaricate Allophyllum	AH	.	Polemoniaceae	U	1	
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i> (A.A. Heller) Day	Violet Phlox	AH	FAC	Polemoniaceae	S	1	
<i>Alnus rhombifolia</i> Nuttall	White Alder	T	FACW	Betulaceae	C	4	
<i>Ambrosia psilostachya</i> var. <i>californica</i> (Rydb.) Blake	Western Ragweed	BH	FACU	Asteraceae	C	1	
<i>Amorpha californica</i> Nuttall var. <i>californica</i>	California False Indigo	S	FAC	Fabaceae	C	3	
<i>Amsinckia intermedia</i> Fischer & C. Meyer	Rancher's Fire, Common Fiddleneck	AH	.	Boraginaceae	C	3	
<i>Antirrhinum</i> [<i>multiflorum</i>] <i>thompsonii</i> D.J. Keil	Sticky Snapdragon	S	.	Plantaginaceae	O	8	
<i>Antirrhinum kelloggii</i> Greene	Kellogg Snapdragon	AV	.	Plantaginaceae	S	3	
<i>Aphanes occidentalis</i> (Nuttall) Rydb.	Dew-cup, Lady's Mantle	AH	.	Rosaceae	R	1	

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

David L. Magney, 13806 Highland Drive, CA 95945. www.magney.org

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Aphyllon fasciculatum</i> (Nuttall) Torr. & A. Gray	Clustered Broom-rape	PH	.		Orobanchaceae	O	1
<i>Aphyllon tuberosum</i> (A. Gray) A. Gray	Chamise Broom-rape	PH	.		Orobanchaceae	O	3
<i>Apiastrum angustifolium</i> Nuttall	Wild Celery, Mock Parsley	AH	UPL		Apiaceae	O	3
<i>Apocynum cannabinum</i> L.	Indian Hemp	PH	FAC		Apocynaceae	S	2
<i>Aquilegia eximia</i> Van Houtte ex Planchon	Van Houtte Columbine	PH	OBL		Ranunculaceae	R	1
<i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker	Truncate Crimson Columbine	PH	FAC		Ranunculaceae	U	2
<i>Aralia californica</i> S. Watson	Elk Clover, Spikenard	S	FACW		Araliaceae	R	3
<i>Arbutus menziesii</i> Pursh	Pacific Madrone	T	.		Ericaceae	U	2
<i>Arctostaphylos glandulosa</i> Eastw. ssp. <i>glandulosa</i>	Eastwood Manzanita	S	.		Ericaceae	C	2
<i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i> (J.E. Jones) P. Wells	Santa Ynez Mountains Manzanita	S	.		Ericaceae	C	1
<i>Arctostaphylos glauca</i> Lindley	Bigberry Manzanita	S	.		Ericaceae	C	3
<i>Aristida adscensionis</i> L.	Six-weeks Three-awn Grass	AG	.		Poaceae	U	1
<i>Artemisia californica</i> Less.	California Sagebrush	S	.		Asteraceae	C	6
<i>Artemisia douglasiana</i> Besser	Mugwort	PH	FAC		Asteraceae	C	7
<i>Artemisia dracunculul</i> L.	Tarragon, Dragon Tarragon	PH	(FACW)		Asteraceae	C	3
<i>Asclepias californica</i> E. Greene ssp. <i>californica</i>	California Milkweed	AH	.		Apocynaceae	C	1
<i>Aspidotis californica</i> (Hooker) Nuttall ex Copeland	California Lace Fern	PF	.		Pteridaceae	S	5
<i>Astragalus pomonensis</i> M.E. Jones	Pomona Locoweed	PH	.		Fabaceae	R	1
<i>Athysanus pusillus</i> (Hook.) Greene	Dwarf Athysanus	AH	.		Brassicaceae	O	1
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i> (DC.) C.G. Wolf	Coyote Brush	S	(FACU)		Asteraceae	C	5
<i>Baccharis plummerae</i> Gray var. <i>plummerae</i>	Plummer Baccharis	S	.		Asteraceae	C, 4,3	2
<i>Baccharis salicifolia</i> (Ruiz Lopez & Pavon) Pers. ssp. <i>salicifolia</i>	Mulefat, Seep-willow, Water-wally	S	FAC		Asteraceae	C	7
<i>Barbarea orthoceras</i> Ledeb.	American Wintercress	BH	FACW		Brassicaceae	O	1
<i>Berberis aquifolium</i> Pursh var. <i>repens</i> (Lindl.) Scoggan	Creeping Oregon Grape	S	.		Berberidiaceae	R	1
<i>Berberis dictyota</i> Jeps.	Dull-leaf or Jepson Holly-leaved Barberry	S	.		Berberidiaceae	R	2
<i>Berberis pinnata</i> Lagasca ssp. <i>pinnata</i>	Pinnate-leaved Barberry	S	.		Berberidiaceae	R	1
<i>Bidens frondosa</i> L. var. <i>frondosa</i>	Sticktight	AH	FACW		Asteraceae	R	1
<i>Bloomeria crocea</i> (Torrey) Cov. ssp. <i>crocea</i>	Goldenstars	PG	.		Themidaceae	C	2
<i>Boechera arcuata</i> (Nutt.) Windham & Al-Shehbaz	Few-flowered Rock Cress	PH	.		Brassicaceae	C	4
<i>Boechera breweri</i> (S. Watson) Al-Shehbaz var. <i>breweri</i>	Brewer Rock Cress	PH	.		Brassicaceae	R	1
<i>Boechera sparsiflora</i> (Nutt.) Dorn	Few-flowered Rock Cress	PH	.		Brassicaceae	C	2
<i>Boschniakia strobilacea</i> Gray	California Ground Cone	PH	.		Orobanchaceae	R	1
<i>Bowlesia incana</i> Ruiz Lopez & Pavon	Hoary Bowlesia	AH	FACU		Apiaceae	S	1
<i>Boykinia occidentalis</i> T. & G.	Santa Lucia Brookfoam	PH	FAC		Saxifragaceae	U	1
<i>Boykinia rotundifolia</i> C. Parry	Roundleaved Boykinia	PH	FACW		Saxifragaceae	U	2
<i>Brickellia californica</i> (T. & G.) Gray	California Brickellbush	S	FACU		Asteraceae	C	8
<i>Brickellia nevini</i> Gray	Nevin Brickellbush	S	.		Asteraceae	C	4
<i>Brodiaea jolonensis</i> Eastwood	Dwarf Brodiaea	PG	.		Themidaceae	U	2
<i>Bromus porteri</i> (J.M. Coult.) Nash	Nodding Brome	PG	.		Poaceae	R	0
<i>Bromus sitchensis</i> var. <i>carinatus</i> (Hook. & Arn.) R.E. Brainerd & Otting	California Brome	PG	.		Poaceae	C	1
<i>Calandrinia breweri</i> S. Watson	Brewer Calandrinia	AH	.		Montiaceae	U, 4,2	1
<i>Calochortus albus</i> Bentham	Fairy Lantern, Globe Lily	PG	.		Liliaceae	S	1
<i>Calochortus catalinae</i> S. Watson	Catalina Mariposa Lily	PG	.		Liliaceae	C, 4,2	2
<i>Calochortus clavatus</i> S. Watson var. <i>clavatus</i>	Club-haired Mariposa Lily	PG	.		Liliaceae	C, 4,3	1
<i>Calochortus fimbriatus</i> H.P. McDonald	Late-flowering Mariposa Lily	PG	.		Liliaceae	S, 1B,2	2
<i>Calochortus venustus</i> Benth.	Butterfly Mariposa Lily	PG	.		Liliaceae	C	2
<i>Calyptidium parryi</i> Gray var. <i>parryi</i>	Parry Calyptidium	AH	.		Montiaceae	S	1
<i>Calystegia macrostegia</i> ssp. <i>cyclostegia</i> (House) Brummitt	Coastal Scrub Morning-glory	PV	.		Convolvulaceae	C	1

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Abundance	#
			Status	Family	Status	Pops.
<i>Calystegia macrostegia</i> ssp. <i>intermedia</i> (Abrams) Brummitt	Intermediate Morning-glory	PV	.	Convolvulaceae	O	2
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> (Jepson) Munz	Sierra Morning-glory	PV	.	Convolvulaceae	C	3
<i>Calystegia purpurata</i> (Greene) Brummitt ssp. <i>purpurata</i>	Purple Morning-glory	PV	.	Convolvulaceae	O	8
<i>Camissoniopsis bistorta</i> (Torr. & A. Gray) W.L. Wagner & Hoch	California or Southern Sun-cups	AH	.	Onagraceae	O	2
<i>Camissoniopsis hirtella</i> (E. Greene) W.L. Wagner & Hoch	Small-haired Primrose	AH	.	Onagraceae	O	2
<i>Camissoniopsis ignota</i> (Jepson) W.L. Wagner & Hoch	Small Primrose	AH	.	Onagraceae	U	1
<i>Camissoniopsis intermedia</i> (P.H. Raven) W.L. Wagner & Hoch	Intermediate Sun Cups	AH	.	Onagraceae	C	2
<i>Carex alma</i> L. Bailey	Sturdy Sedge	PG	OBL	Cyperaceae	S	1
<i>Carex senta</i> Boott	Rough Sedge	PG	OBL	Cyperaceae	O	1
<i>Castilleja applegatei</i> ssp. <i>martinii</i> (Abrams) Chuang & Heckard	Martin Indian Paintbrush	PH	.	Orobanchaceae	C	2
<i>Castilleja exserta</i> (A.A. Heller) Chuang & Heckard ssp. <i>exserta</i>	Purple Owl's Clover	AH	.	Orobanchaceae	C	1
<i>Castilleja foliolosa</i> Hook. & Arn.	Woolly Indian Paintbrush	PH	.	Orobanchaceae	O	2
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i> (Pennell) Chuang & Heckard	San Francisco Long-leaved Indian Paintbrush	PH	.	Orobanchaceae	U	1
<i>Caulanthus coulteri</i> S. Watson var. <i>coulteri</i>	Coulter Jewelflower	AH	.	Brassicaceae	C	1
<i>Caulanthus heterophyllus</i> (Nutt.) Payson var. <i>heterophyllus</i>	Different-leaved Jewelflower	AH	.	Brassicaceae	U	1
<i>Caulanthus lasiophyllus</i> (Hooker & Arnott) Payson	California Mustard	AH	.	Brassicaceae	C	1
<i>Ceanothus crassifolius</i> Torrey var. <i>crassifolius</i>	Snowball, Hoaryleaf Ceanothus	S	.	Rhamnaceae	C	3
<i>Ceanothus crassifolius</i> var. <i>planus</i> Abrams	Flatleaf Snowball	S	.	Rhamnaceae	C	7
<i>Ceanothus cuneatus</i> (Hooker) Nuttall ex Torr. & Gray var. <i>cuneatus</i>	Buck Brush, Wedgeleaf Ceanothus	S	.	Rhamnaceae	C	1
<i>Ceanothus integerrimus</i> var. <i>macrothyrsus</i> (Torr.) Benson	Umpqua Deer Brush	S/T	.	Rhamnaceae	R	0
<i>Ceanothus leucodermis</i> E. Greene	Chaparral Whitethorn	S	.	Rhamnaceae	C	5
<i>Ceanothus megacarpus</i> Nuttall var. <i>megacarpus</i>	Bigpod Ceanothus	S	.	Rhamnaceae	C	2
<i>Ceanothus megacarpus</i> var. <i>pendulous</i> McMinn	Pendulous Bigpod Ceanothus	S	.	Rhamnaceae	R	1
<i>Ceanothus oliganthus</i> Nuttall var. <i>oliganthus</i>	Hoary Ceanothus	S	.	Rhamnaceae	C	8
<i>Ceanothus palmeri</i> Trel.	Palmer Ceanothus	S	.	Rhamnaceae	O	4
<i>Ceanothus papillosus</i> T. & G. ssp. <i>papillosus</i>	Wartleaf Ceanothus	S	.	Rhamnaceae	U	3
<i>Ceanothus spinosus</i> Nuttall	Greenbark Ceanothus	S	.	Rhamnaceae	C	6
<i>Ceratophyllum demersum</i> L.	Hornwort, Coontail	PH	OBL	Ceratophyllaceae	R	1
<i>Cercocarpus betuloides</i> Torrey & A. Gray var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.	Rosaceae	C	8
<i>Chaenactis glabriuscula</i> DC. var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	.	Asteraceae	C	2
<i>Chaenactis santolinoides</i> E. Greene	Perennial Pincushion	PH	.	Asteraceae	C	1
<i>Chamaesyce serpyllifolia</i> (Pers.) Small ssp. <i>serpyllifolia</i>	Thyme-leaved Spurge	AH	.	Euphorbiaceae	U	1
<i>Chlorogalum pomeridianum</i> (DC.) Kunth var. <i>pomeridianum</i>	Soap Lily	PG	.	Agavaceae	C	8
<i>Chorizanthe clevelandii</i> C. Parry	Cleveland Spineflower	AH	.	Polygonaceae	R	1
<i>Chorizanthe staticoides</i> Bentham var. <i>staticoides</i>	Turkish Rugging, Stalice Spineflower	AH	.	Polygonaceae	O	2
<i>Chorizanthe xanti</i> S. Watson var. <i>xanti</i>	Xantus Spineflower	AH	.	Polygonaceae	S	1
<i>Cirsium occidentale</i> var. <i>venustum</i> (E. Greene) Jepson	Red or Venus Thistle	BH	.	Asteraceae	O	1
<i>Clarkia bottae</i> (Spach) Lewis & Lewis	Punchbowl Godetia	AH	.	Onagraceae	C	4
<i>Clarkia cylindrica</i> (Jepson) H. Lewis & M. Lewis ssp. <i>cylindrica</i>	Cylindrical Godetia	AH	.	Onagraceae	O	1
<i>Clarkia epilobioides</i> (Nutt.) A. Nels. & J.F. Macbr.	Willow-herb Godetia	AH	.	Onagraceae	O	3
<i>Clarkia heterandra</i> (Torrey) H. Lewis & Raven	California Gaura	AH	.	Onagraceae	U	1
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> (Douglas) H. Lewis & M. Lewis	Four-spotted Purple Clarkia	AH	.	Onagraceae	C	6
<i>Clarkia unguiculata</i> Lindley	Elegant Farwell-to-Spring or Clarkia	AH	.	Onagraceae	C	3
<i>Claytonia parviflora</i> Hook. ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	FACU	Montiaceae	O	2
<i>Claytonia perfoliata</i> Donn ex Willd. ssp. <i>perfoliata</i>	Miner's Lettuce	AH	FAC	Montiaceae	C	2
<i>Claytonia perfoliata</i> ssp. <i>mexicana</i> (Rydb.) J.M. Miller & Chambers	Miner's Lettuce	AH	FAC	Montiaceae	S	3
<i>Claytonia rubra</i> (J.T. Howell) Tidestrom ssp. <i>rubra</i>	Red Miner's Lettuce	AH	.	Montiaceae	U	1
<i>Clematis lasiantha</i> Nuttall	Pipestem Clematis	PV	.	Ranunculaceae	C	6

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

David L. Magney, 13806 Highland Drive, CA 95945. www.magney.org

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Clematis ligusticifolia</i> Nuttall	Virgin's Bower, Old Man's Beard	PV	FAC		Ranunculaceae	C	3
<i>Clematis pauciflora</i> Nuttall	Ropevine	PV	.		Ranunculaceae	R	1
<i>Collinsia childii</i> A. Gray	Child Blue-eyed Mary	AH	.		Plantaginaceae	U	1
<i>Collinsia heterophylla</i> Buist var. <i>heterophylla</i>	Chinese Houses	AH	.		Plantaginaceae	C	5
<i>Conyza canadensis</i> (L.) Cronq.	Horseweed	AH	FACU		Asteraceae	C	1
<i>Cordylanthus rigidus</i> (Benth.) Jepson ssp. <i>rigidus</i>	Rigid Bird's Beak	AH	.		Orobanchaceae	C	2
<i>Corethrogyne filaginifolia</i> (Hook. & Arn.) Nutt. var. <i>filaginifolia</i>	California Cudweed-aster	PH	.		Asteraceae	C	3
<i>Cornus glabrata</i> Bentham	Brown Dogwood	S	FACW		Cornaceae	U	1
<i>Crassula connata</i> (Ruiz, Lopez & Pavon) A. Berger	Pygmy [Sand-]Weed	AH	FAC		Crassulaceae	O	1
<i>Crocanthemum scoparium</i> var. <i>vulgare</i> (Jeps.) Sorrie	Common Peak Rushrose	S	.		Cistaceae	S	1
<i>Cryptantha clevelandii</i> E. Greene var. <i>clevelandii</i>	Cleveland Forget-Me-Not	AH	.		Boraginaceae	C	1
<i>Cryptantha clevelandii</i> var. <i>florosa</i> I.M. Johnston	Coastal Forget-Me-Not	AH	.		Boraginaceae	S	1
<i>Cryptantha corollata</i> (I.M. Johnston) I.M. Johnston	Crowned Forget-Me-Not	AH	.		Boraginaceae	C, T	3
<i>Cryptantha decipiens</i> (M.E. Jones) A.A.Heller	Gravel Forget-Me-Not	AH	.		Boraginaceae	O	2
<i>Cryptantha echinella</i> E. Greene	Prickly Forget-Me-Not	AH	.		Boraginaceae	S	1
<i>Cryptantha intermedia</i> (A. Gray) E. Greene var. <i>intermedia</i>	Common Forget-Me-Not	AH	.		Boraginaceae	C	3
<i>Cryptantha microstachys</i> (A. Gray) E. Greene	Tejon Forget-Me-Not	AH	.		Boraginaceae	S	2
<i>Cryptantha muricata</i> (Hooker & Arnott) Nelson & Macbr. var. <i>muricata</i>	Showy Prickly Forget-Me-Not	AH	.		Boraginaceae	O	1
<i>Cryptantha muricata</i> var. <i>jonesii</i> (A. Gray) I.M. Johnston	Jones Prickly Forget-Me-Not	AH	.		Boraginaceae	S (O?)	0
<i>Cuscuta californica</i> Hooker & Arnott var. <i>californica</i>	California Dodder	AV	.		Convolvulaceae	C	1
<i>Cuscuta subinclusa</i> Durand & Hilg.	Canyon Dodder	AV	.		Convolvulaceae	O	2
<i>Cystopteris fragilis</i> (L.) Bernhardt	Brittle or Fragile Fern	PF	FACU		Dryopteridaceae	U	2
<i>Datisca glomerata</i> (C. Presl) Baillon	Durango Root	PH	FACW		Daticaceae	C	6
<i>Datura wrightii</i> Regel	Jimson Weed	AH	UPL		Solanaceae	C	1
<i>Daucus pusillus</i> Michaux	Southwestern Carrot, Yerba de la Vibora	AH	.		Apiaceae	C	1
<i>Deinandra fasciculata</i> (DC.) E. Greene	Fasciculed Tarplant	AH	FACU		Asteraceae	C	4
<i>Delphinium cardinale</i> Hooker	Scarlet or Cardinal Larkspur	PH	.		Ranunculaceae	C	10
<i>Delphinium parishii</i> A. Gray ssp. <i>parishii</i>	Parish's Larkspur	PH	.		Ranunculaceae	S	1
<i>Delphinium parryi</i> A. Gary ssp. <i>parryi</i>	Parry Larkspur	PH	.		Ranunculaceae	C	2
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock	Mount Pinos Larkspur	PH	.		Ranunculaceae	C, 4,3	1
<i>Delphinium patens</i> ssp. <i>hepaticoides</i> Ewan	Spreading Larkspur	PH	.		Ranunculaceae	S	3
<i>Dendromecon rigida</i> Bentham ssp. <i>rigida</i>	Bush Poppy	S	.		Papaveraceae	C	20
<i>Diplacus brevipes</i> (Bentham) Nesom	Short or Wide-throat Monkeyflower	AH	.		Phrymaceae	C	3
<i>Diplacus calycinus</i> Eastw.	Fuzzy Bush Monkeyflower	S	.		Phrymaceae	C	1
<i>Diplacus congdonii</i> (B.L. Robinson) Nesom	Congdon Monkeyflower	AH	FAC		Phrymaceae	R	1
<i>Diplacus johnstonii</i> (A.L. Grant) Nesom	Johnston Monkeyflower	AH	.		Phrymaceae	S	1
<i>Diplacus longiflorus</i> (Nuttall) A. Grant var. <i>longiflorus</i>	Sticky Bush Monkeyflower	S	FACU		Phrymaceae	C	9
<i>Dipterostemon capitatus</i> (Bentham) Rydb. ssp. <i>capitatus</i>	Blue Dicks	PG	FACU		Themidaceae	C	8
<i>Drymocallis glandulosa</i> (Lindley) Rydberg var. <i>glandulosa</i>	Sticky Cinquifol	PH	FAC		Rosaceae	C	3
<i>Drymocallis glandulosa</i> var. <i>reflexa</i> (E. Greene) Ertter	Greene Cinquifol	PH	FAC		Rosaceae	S	1
<i>Dryopteris arguta</i> (Kaulfuss) Maxon	Coastal or Marginal Wood Fern, Yerba del Golpe	PF	.		Dryopteridaceae	C	10
<i>Dudleya cymosa</i> ssp. <i>pumila</i> (Rose) K. Nakai	Santa Monica Mtns. Live-forever	PH	.		Crassulaceae	U	1
<i>Dudleya lanceolata</i> (Nuttall) Britton & Rose	Lanceleaf Live-forever, Rock Lettuce	PH	.		Crassulaceae	C	6
<i>Dudleya pulverulenta</i> (Nuttall) Britton	Chalky Live-forever	PH	.		Crassulaceae	O	3
<i>Ehrendorferia chrysantha</i> (Hooker & Arnott) Rylander	Golden Eardrops	PH	.		Fumariaceae	C	6
<i>Elymus condensatus</i> J. Presl	Giant Wildrye	PG	FACU		Poaceae	C	7
<i>Elymus elymoides</i> (Raf.) Swezey ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	FACU		Poaceae	C	5
<i>Elymus glaucus</i> Buckl. ssp. <i>glaucus</i>	Blue or Woodland Wildrye	PG	FACU		Poaceae	C	6

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Elymus triticoides</i> Buckl. ssp. <i>triticoides</i>	Creeping Wildrye	PG	FAC	Poaceae	C	3	
<i>Emmenanthe penduliflora</i> Benth. var. <i>penduliflora</i>	Whispering Bells	AH	.	Hydrophyllaceae	O	3	
<i>Encelia californica</i> Nuttall	California Bush Sunflower	S	.	Asteraceae	C	2	
<i>Epilobium canum</i> (Greene) Raven ssp. <i>canum</i>	California Fuchsia	PH	.	Onagraceae	C	7	
<i>Epilobium canum</i> ssp. <i>latifolium</i> (Hook.) Raven	Broad-leaved California Fuchsia	PH	.	Onagraceae	C	3	
<i>Epilobium ciliatum</i> Raf. ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW	Onagraceae	C	2	
<i>Epipactis gigantea</i> Hook.	Stream Orchid	PH	OBL	Orchidaceae	O	3	
<i>Equisetum arvense</i> L.	Common or Field Horsetail	PF	FAC	Equisetaceae	U	1	
<i>Equisetum hyemale</i> L. var. <i>affine</i> (Engelm.) Calder & R.L. Taylor	Common or Giant Scouring Rush	PF	FACW	Equisetaceae	U	1	
<i>Equisetum laevigatum</i> A. Braun	Smooth Scouring-Rush	PF	FACW	Equisetaceae	O	1	
<i>Eremocarya micrantha</i> (Torr.) Greene var. <i>micrantha</i> [<i>Cryptantha m.</i> var. <i>m.</i>]	Eremocarya	AH	.	Boraginaceae	U	1	
<i>Eremocarya micrantha</i> var. <i>lepida</i> MacBr. [<i>Cryptantha m.</i> var. <i>l.</i>]	Mountain Red-root Eremocarya	AH	.	Boraginaceae	R	1	
<i>Ericameria arborescens</i> (A. Gray) E. Greene	Golden-fleece	S	.	Asteraceae	S	3	
<i>Ericameria cuneata</i> (Gray) McClatchie var. <i>cuneata</i>	Wedgeleaf Goldenbush	S	.	Asteraceae	S	1	
<i>Ericameria cuneata</i> var. <i>spathulata</i> (A. Gray) H.M. Hall	Spatulate-leaved Goldenbush	S	.	Asteraceae	U	1	
<i>Ericameria nauseosa</i> var. <i>hololeuca</i> (A.Gray) G.L. Nesom & G.I. Baird	White Rubber Rabbitbrush	S	.	Asteraceae	O	1	
<i>Ericameria nauseosa</i> var. <i>mohavensis</i> (Greene) G.L. Nesom & G.I. Baird	Mojave Rubber Rabbitbrush	S	.	Asteraceae	C	1	
<i>Ericameria palmeri</i> var. <i>pachylepis</i> (H.M. Hall) Nesom	Goldenbush	S	.	Asteraceae	S	2	
<i>Erigeron foliosus</i> Nuttall var. <i>foliosus</i>	Leafy Fleabane or Daisy	PH	.	Asteraceae	C	2	
<i>Eriodictyon crassifolium</i> Benth. var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	.	Namaceae	C	3	
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> Brand	Thickleaf Yerba Santa	S	.	Namaceae	C	9	
<i>Eriogonum cithariforme</i> S. Watson var. <i>cithariforme</i>	Cithara Buckwheat	AH	.	Polygonaceae	C	1	
<i>Eriogonum cithariforme</i> var. <i>agninum</i> (E. Greene) Reveal	Santa Ynez Wild Buckwheat	AH	.	Polygonaceae	S	1	
<i>Eriogonum elongatum</i> Benth. var. <i>elongatum</i>	Long-stemmed Buckwheat	PH	.	Polygonaceae	C	5	
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i> (Nuttall) Abrams	Leafy California Buckwheat	S	.	Polygonaceae	C	7	
<i>Eriogonum fasciculatum</i> var. <i>polifolium</i> (A. DC.) Torrey & A. Gray	Hoary California Buckwheat	S	.	Polygonaceae	C	3	
<i>Eriogonum nudum</i> var. <i>pubiflorum</i> Benth.	Hairy-flowered Barestem Buckwheat	PH	.	Polygonaceae	S	1	
<i>Eriogonum nudum</i> var. <i>westonii</i> (S. Stokes) J.T. Howell	Weston Barestem Buckwheat	PH	.	Polygonaceae	S	1	
<i>Eriogonum parvifolium</i> var. <i>paynei</i> (Wolf ex Munz) Reveal	Payne Dune Buckwheat	S	.	Polygonaceae	U	0	
<i>Eriophyllum confertiflorum</i> (DC.) A. Gray var. <i>confertiflorum</i>	Golden Yarrow	PH	.	Asteraceae	C	10	
<i>Erysimum capitatum</i> (Dougl.) E. Greene var. <i>capitatum</i>	Western Wallflower	AH/BH	.	Brassicaceae	C	1	
<i>Erythranthe cardinalis</i> (Douglas ex Benth.) Spach	Scarlet Monkeyflower	PH	FACW	Phrymaceae	C	3	
<i>Erythranthe floribunda</i> (Lindley) G.L. Nesom	Floriferous Monkeyflower	AH	OBL	Phrymaceae	O	1	
<i>Eschscholzia caespitosa</i> Benth. ssp. <i>caespitosa</i>	Tufted Poppy	BH	.	Papaveraceae	O	5	
<i>Eucrypta chrysanthemifolia</i> (Benth.) Greene var. <i>chrysanthemifolia</i>	Eucrypta	AH	.	Hydrophyllaceae	C	5	
<i>Eulobus californicus</i> Torrey & A. Gray	Mustard Primrose	AH	.	Onagraceae	C	2	
<i>Euthamia occidentalis</i> Nuttall	Western Goldenrod	PH	FACW	Asteraceae	O	3	
<i>Frangula californica</i> (Eschsch.) A. Gray ssp. <i>californica</i>	California Coffeeberry	S	.	Rhamnaceae	O	4	
<i>Frangula californica</i> ssp. <i>tomentella</i> (Benth.) Kartesz & Gandhi	Hoary Coffeeberry	S	.	Rhamnaceae	C	1	
<i>Fraxinus dipetala</i> Hooker & Arnott	California Flowering Ash	T	.	Oleaceae	C	5	
<i>Fritillaria ojaiensis</i> A. Davidson	Ojai Fritillary	PH	.	Liliaceae	S, 1B.2	5	
<i>Galium andrewsii</i> A. Gray ssp. <i>andrewsii</i>	Pine Mat, Phlox-leaved Bedstraw	PH	.	Rubiaceae	C	3	
<i>Galium andrewsii</i> ssp. <i>intermedium</i> Dempster & Stebb.	Intermediate Pine Mat, Phlox-leaved Bedstraw	PH	.	Rubiaceae	C	1	
<i>Galium angustifolium</i> Nuttall ssp. <i>angustifolium</i>	Chaparral or Narrow-leaved Bedstraw	S	.	Rubiaceae	C	5	
<i>Galium hallii</i> Munz & I.M. Johnston	Nodding Bedstraw	PH	.	Rubiaceae	C	2	
<i>Galium nuttallii</i> A. Gray ssp. <i>nuttallii</i>	San Diego or Climbing Bedstraw	S	.	Rubiaceae	O	1	
<i>Galium porrigens</i> Dempster var. <i>porrigens</i>	Climbing Bedstraw	PV	.	Rubiaceae	S	2	
<i>Galium triflorum</i> Michaux	Sweet-scented Bedstraw	PH	FACU	Rubiaceae	R	1	

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Garrya flavescens</i> ssp. <i>pallida</i> (Eastwood) Dahling	Pallid Silk-tassel Bush	S	.		Garryaceae	S	1
<i>Garrya veatchii</i> Kellogg	Veatch's Silk-tassel Bush	S	.		Garryaceae	C	7
<i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i>	California or Yarrow-leaved Gilia	AH	.		Polemoniaceae	O	1
<i>Gilia angelensis</i> V. Grant	Angel Gilia	AH	.		Polemoniaceae	O	1
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>	Breccia Gilia	AH	.		Polemoniaceae	O	1
<i>Gilia capitata</i> ssp. <i>abrotanifolia</i> (E. Greene) V. Grant	Blue Field Gilia	AH	.		Polemoniaceae	C	4
<i>Glycyrrhiza lepidota</i> (Nutt.) Pursh	American Licorice	PH	FAC		Fabaceae	S	1
<i>Grindelia hirsutula</i> Hook. & Arn. var. <i>hirsutula</i>	Hirsute Gumplant	S/PH	FACW		Asteraceae	S	1
<i>Hazardia squarrosa</i> var. <i>grindeloides</i> (DC.) W. Clark	Sawtooth Goldenbush	S	.		Asteraceae	C	4
<i>Hazardia squarrosa</i> var. <i>obtusata</i> (Greene) Jepson	Prickly Sawtooth Goldenbush	S	.		Asteraceae	C	8
<i>Helianthus annuus</i> L.	Common Sunflower	AH	FACU		Asteraceae	C	1
<i>Hesperocnide tenella</i> Torrey	Western Nettle	AH	.		Urticaceae	S	2
<i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i> (M.E. Jones) A.L. Haines	Clumping Our Lord's Candle	S	.		Agavaceae	C	2
<i>Hesperoyucca whipplei</i> Torrey ssp. <i>whipplei</i>	Our Lord's Candle	S	.		Agavaceae	C	4
<i>Heteromeles arbutifolia</i> (Lindley) Roemer	Toyon, Christmas Holly, Hollywood	S	.		Rosaceae	C	9
<i>Heterotheca grandiflora</i> Nuttall	Telegraph Weed	PH	.		Asteraceae	C	1
<i>Heuchera abramsii</i> Rydberg	Abrams Alumroot	PH	.		Saxifragaceae	R, 4.3	1
<i>Heuchera elegans</i> Abrams	Elegant Urn-flowered Alumroot	PH	.		Saxifragaceae	R	1
<i>Hoita macrostachya</i> (DC.) Rydb.	Leather Root, California Tea	PH	OBL		Fabaceae	S	3
<i>Holocarpha heermannii</i> (E. Greene) Keck	Heermann Tarplant	AH	.		Asteraceae	S	1
<i>Holodiscus discolor</i> var. <i>macrophyllus</i> (Rydb.) Jeps.	Rock Spiraea	S	FACU		Rosaceae	R	1
<i>Hosackia crassifolia</i> Benth. var. <i>crassifolia</i>	Broad-leaved Hosackia	PH	.		Fabaceae	S	1
<i>Hosackia stipularis</i> Benth. var. <i>stipularis</i>	Balsam Lotus	PH	.		Fabaceae	R	2
<i>Hulsea heterochroma</i> Gray	Red-rayed Hulsea	A/PH	.		Asteraceae	R	1
<i>Imperata brevifolia</i> Vasey	Satintail	PG	FAC		Poaceae	R, 2.1	1
<i>Isocoma menziesii</i> (Hook. & Arn.) G. Nesom var. <i>menziesii</i>	Coastal Goldenbush	S	FAC		Asteraceae	C	1
<i>Juglans californica</i> S. Watson	Southern California Black Walnut	T	FACU		Juglandaceae	C, 4.2	4
<i>Juncus bufonius</i> var. <i>occidentalis</i> F.J. Herm.	Western Toad Rush	AG	FACW		Juncaceae	R	1
<i>Juncus dubius</i> Englem.	Mariposa Rush	PG	FACW		Juncaceae	S	1
<i>Juncus effusus</i> ssp. <i>austrorcalifornicus</i> H.L. Lint ex Zita	Pacific Rush	PG	FACW		Juncaceae	U	2
<i>Juncus macrophyllus</i> Cov.	Large-leaf Rush	PG	FACW		Juncaceae	S	1
<i>Juncus mexicanus</i> Willd. ex Schultes & Schultes.f.	Mexican Rush, Wire Grass	PG	FACW		Juncaceae	C	1
<i>Juncus patens</i> E. Meyer	Spreading Rush	PG	FACW		Juncaceae	U	1
<i>Juncus xiphioides</i> E. Meyer	Iris-leaved Rush	PG	OBL		Juncaceae	C	1
<i>Keckiella breviflora</i> (Lindley) I.M. Johnston var. <i>breviflora</i>	Stubflower Penstemon, Gaping Beardtongue	S	.		Plantaginaceae	C	1
<i>Keckiella cordifolia</i> (Benth.) I.M. Johnston	Heart-leaved Bush Penstemon	S	.		Plantaginaceae	C	4
<i>Keckiella ternata</i> var. <i>septentrionalis</i> (Munz & Johnston) N. Holmgren	Blue-stemmed Bush Penstemon	S	.		Plantaginaceae	C	5
<i>Lagophylla ramosissima</i> Nutt. ssp. <i>ramosissima</i>	Branched Lagophylla, Common Hareleaf	AH	.		Asteraceae	C	2
<i>Lasthenia californica</i> Lindley ssp. <i>californica</i>	California Goldfields	AH	FACU		Asteraceae	C	1
<i>Lathyrus vestitus</i> Nuttall ssp. <i>vestitus</i>	Pacific Peavine	PV	.		Fabaceae	C	8
<i>Lathyrus vestitus</i> ssp. <i>laetiflorus</i> (Greene) Broich	Pacific Peavine	PV	.		Fabaceae	O	1
<i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i> Broich	Naked-pod Pacific Peavine	PV	.		Fabaceae	S	1
<i>Lepidium nitidum</i> Torrey & A. Gray	Common Peppergrass	AH	FAC		Brassicaceae	C	1
<i>Lepidospartum squamatum</i> (A. Gray) A. Gray	Scalebroom	S	FACU		Asteraceae	C	1
<i>Leptosiphon parviflorus</i> Benth.	Yellow Linanthus	AH	.		Polemoniaceae	C	3
<i>Leptosyne bigelovii</i> (A.Gray) A.Gray	Bigelow Coreopsis	AH	.		Asteraceae	C	4
<i>Lilium humboldtii</i> ssp. <i>ocellatum</i> (Kellogg) Thorne	Ocellated Humboldt Lily	PH	.		Liliaceae	O, 4.2	5
<i>Linanthus californicus</i> (Hook. & Arn.) J.M. Porter & L.A. Johnson	Prickly Phlox	S	.		Polemoniaceae	C	2

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Lithophragma affine</i> Gray	Woodland Star	PH	.		Saxifragaceae	O	4
<i>Lithophragma bolanderi</i> Gray	Bolander Star	PH	.		Saxifragaceae	S	1
<i>Lithophragma cymbalaria</i> T. & G.	Mission Star	PH	.		Saxifragaceae	S	1
<i>Lobelia dunnii</i> var. <i>serrata</i> (Gray) McVaugh	Dunn Lobelia	PH	(OBL)		Lobeliaceae	O, T	4
<i>Logfia filaginoides</i> (Hook. & Arn.) Morefield	California Filago	AH	.		Asteraceae	C	4
<i>Lomatium californicum</i> (T. & G.) Mathias & Constance	California Lomatium	PH	.		Apiaceae	U	1
<i>Lomatium dasycarpum</i> (T. & G.) Coulter & Rose ssp. <i>dasycarpum</i>	Hairy Wing-fruit	PH	.		Apiaceae	C	2
<i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose	Foothill Lomatium	PH	.		Apiaceae	O	1
<i>Lonicera subspicata</i> var. <i>denudata</i> Rehder	Southern or San Diego Honeysuckle	S	.		Caprifoliaceae	C	5
<i>Lupinus albifrons</i> Benth. var. <i>albifrons</i>	Silver Bush Lupine	S	.		Fabaceae	C	1
<i>Lupinus bicolor</i> Lindley	Bicolored or Miniature Lupine	AH	.		Fabaceae	C	1
<i>Lupinus concinnus</i> J. Agardh spp. <i>concinnus</i>	Bajada Lupine	AH	.		Fabaceae	C	2
<i>Lupinus formosus</i> Greene var. <i>formosus</i>	Summer Bush Lupine	PH	.		Fabaceae	C	2
<i>Lupinus formosus</i> var. <i>robustus</i> C.P. Smith	Summer Bush Lupine	PH	.		Fabaceae	U	1
<i>Lupinus hirsutissimus</i> Benth	Nettle or Stinging Lupine	AH	.		Fabaceae	C	4
<i>Lupinus latifolius</i> J. Agardh var. <i>latifolius</i>	Broad-leaved Lupine	PH	FACW		Fabaceae	S	2
<i>Lupinus longifolius</i> (S. Watson) Abrams	Long-leaved Bush Lupine	S	.		Fabaceae	C	1
<i>Lupinus microcarpus</i> var. <i>densiflorus</i> (Benth) Jeps.	Densely Red-flowered Lupine	AH	.		Fabaceae	S	1
<i>Lupinus nanus</i> Benth.	Small Lupine	AH	.		Fabaceae	S	3
<i>Lupinus sparsiflorus</i> Benth. ssp. <i>sparsiflorus</i>	Few-flowered or Loose-flowered Lupine	AH	.		Fabaceae	C	1
<i>Lupinus succulentus</i> Douglas	Fleshy Lupine	AH	.		Fabaceae	C	3
<i>Lupinus truncatus</i> Nuttall	Truncate-leaved Lupine	AH	.		Fabaceae	C	4
<i>Madia elegans</i> D. Don ssp. <i>elegans</i>	Common Tarplant or Madia	AH	.		Asteraceae	C	1
<i>Madia exigua</i> (Smith) A. Gray	Small or Threadstem Tarplant or Madia	AH	.		Asteraceae	S	1
<i>Madia gracilis</i> (Smith) Keck	Slender Tarplant or Madia	AH	.		Asteraceae	C	1
<i>Malacothamnus fasciculatus</i> (Nutt.ex T.& G.) Greene var. <i>fasciculatus</i>	Chaparral Bushmallow	S	.		Malvaceae	C	2
<i>Malacothamnus fasciculatus</i> var. <i>nuttallii</i> (Abrams) Kearney	Nuttall Bushmallow	S	.		Malvaceae	O	1
<i>Malacothrix floccifera</i> (DC.) Blake	Woolly or Flobose Dandelion	AH	.		Asteraceae	O	2
<i>Malacothrix saxatilis</i> var. <i>tenuifolia</i> (Nutt.) Gray	Tenuated Cliff-aster	PH	.		Asteraceae	C	3
<i>Malosma laurina</i> Nuttall ex Abrams	Laurelleaf Sumac	S	.		Anacardiaceae	C	7
<i>Marah fabacea</i> (Naudin) Greene	California Man-root	PV	.		Cucurbitaceae	C	10
<i>Marah macrocarpa</i> (Greene) Greene var. <i>macrocarpa</i>	Large-fruited Man-root, Chilicothe	PV	.		Cucurbitaceae	O	1
<i>Meconella denticulata</i> E. Greene	Tiny Poppy	AH	.		Papaveraceae	U	1
<i>Melica imperfecta</i> Trin.	Coast Melic Grass	PG	.		Poaceae	C	11
<i>Mentzelia laevicaulis</i> (Hooker) Torrey & Gray	Blazing Star	AH	.		Loasaceae	S	1
<i>Mentzelia micrantha</i> (Hook. & Arnott) T. & G.	Tiny-flowered Stickleaf	AH	.		Loasaceae	C	3
<i>Micranthes californica</i> (Greene) Small	California Saxifrage	PH	FACW		Saxifragaceae	S	4
<i>Microseris elegans</i> A. Gray	Elegant Microseris	AH	.		Asteraceae	R	1
<i>Mimethanthe pilosa</i> (Benth.) Greene	Pilose or Downy Monkeyflower	AH	.		Phrymaceae	S	4
<i>Mirabilis laevis</i> var. <i>crassifolia</i> A. Gray (Choisy) Spellenberg	California Wishbone Bush	PH	.		Nyctaginaceae	C	6
<i>Monardella breweri</i> var. <i>lanceolata</i> (Gray) A.C. Sanders & Elvin	Mustang Mint	AH	.		Lamiaceae	C	1
<i>Monardella hypoleuca</i> Gray ssp. <i>hypoleuca</i>	White-veined Coyote Mint	PH	.		Lamiaceae	U, 1B.3	2
<i>Muhlenbergia microsperma</i> (DC.) Kunth	Littleseed Muhly	AG	.		Poaceae	C	5
<i>Muhlenbergia rigens</i> (Benth.) Hitchc.	Deer Grass	PG	FAC		Poaceae	O	2
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>covillei</i> (Maxon) A. Löve & D. Löve	Coville Lip-fern	PF	.		Pteridaceae	C	5
<i>Navarretia atractyloides</i> (Benth.) Hook. & Arn.	Navarretia	AH	.		Polemoniaceae	S	1
<i>Navarretia ojaiensis</i> Elvin, J.M. Porter & L.A. Johnson	Ojai Navarretia	AH	.		Polemoniaceae	S, 1B.1	4
<i>Nemophila menziesii</i> Hook. & Arn. var. <i>menziesii</i>	Baby Blue-eyes	AH	.		Hydrophyllaceae	O	1

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Nemophila menziesii</i> var. <i>integrifolia</i> Parish	Baby Blue-eyes	AH	.		Hydrophyllaceae	U	1
<i>Notholithocarpus densiflorus</i> (Hook. & Arn.) Manos, C.H. Cannon, & S. Oh var. <i>densiflorus</i>	Tanbark Oak	S/T	.		Fagaceae	U	2
<i>Nuttallanthus texanus</i> (Scheele) D.A. Sutton	Toadflax	AH	.		Plantaginaceae	S	1
<i>Oenothera elata</i> ssp. <i>hirsutissima</i> (Gray) W. Dietr.	Great Marsh Evening-primrose	BH	FACW		Onagraceae	S	3
<i>Opuntia littoralis</i> (Engelm.) Cockerell	Coastal Prickly Pear	S	.		Cactaceae	C	1
<i>Osmorhiza brachypoda</i> Torrey	Sweet Cicely	PH	.		Apiaceae	C	4
<i>Oxalis albicans</i> ssp. <i>pilosa</i> (Nuttall) G. Eiten	Hairy White Wood Sorrel	PH	.		Oxalidaceae	S	3
<i>Paeonia californica</i> Nuttall	California Peony	PH	.		Paeoniaceae	C	6
<i>Papaver californicum</i> Gray	Wind or Fire Poppy	AH	.		Papaveraceae	U	1
<i>Parietaria hespera</i> B.D. Hinton var. <i>hespera</i>	Southwest Pellitory	AH	FACU		Urticaceae	O	3
<i>Parietaria hespera</i> var. <i>californica</i> B.D. Hinton	California Pellitory	AH	FACU		Urticaceae	S	2
<i>Pediomelum californicum</i> (S. Watson) Rydb.	California Indian Breadroot	PH	.		Fabaceae	O	1
<i>Pellaea andromedifolia</i> (Haulfuss) Fee	Coffee Fern	PF	.		Pteridaceae	C	12
<i>Pellaea mucronata</i> (D.C. Eaton) D.C. Eaton in Emory var. <i>mucronata</i>	Birdsfoot Cliffbrake or Fern	PF	.		Pteridaceae	C	4
<i>Penstemon centranthifolius</i> Bentham	Scarlet Bugler	PH	.		Plantaginaceae	C	4
<i>Penstemon grinnellii</i> Eastwood var. <i>grinnellii</i>	Grinnell Beardtongue	PH	.		Plantaginaceae	U	1
<i>Penstemon grinnellii</i> var. <i>scrophularioides</i> (M.E. Jones) N. Holmgren	Figwort Beardtongue	PH	.		Plantaginaceae	S	3
<i>Penstemon heterophyllus</i> Lindley var. <i>heterophyllus</i>	Mountain Penstemon	PH	.		Plantaginaceae	C	2
<i>Pentagramma triangularis</i> (Kaulf.) Yatskievych, Windham, & E. Wollenweber ssp. <i>triangularis</i>	Goldenback Fern	PF	.		Pteridaceae	C	14
<i>Phacelia brachyloba</i> (Benth.) Gray	Short-lobed Phacelia	AH	.		Hydrophyllaceae	C	1
<i>Phacelia cicutaria</i> Greene var. <i>cuticaria</i>	Caterpillar Phacelia	AH	.		Hydrophyllaceae	S	2
<i>Phacelia cicutaria</i> var. <i>hispida</i> (A. Gray) J.T. Howell	Hispid Caterpillar Phacelia	AH	.		Hydrophyllaceae	C	4
<i>Phacelia ciliata</i> Benth. var. <i>ciliata</i>	Ciliate Phacelia	AH	.		Hydrophyllaceae	O	1
<i>Phacelia davidsonii</i> Gray	Davidson Phacelia	AH	.		Hydrophyllaceae	C	1
<i>Phacelia grandiflora</i> (Benth.) Gray	Large-flowered Phacelia	AH	.		Hydrophyllaceae	O	3
<i>Phacelia imbricata</i> Greene ssp. <i>imbricata</i>	Mountain Phacelia	PH	.		Hydrophyllaceae	C	4
<i>Phacelia longipes</i> Gray	Long-stalked Phacelia	AH	.		Hydrophyllaceae	C	4
<i>Phacelia mutabilis</i> Greene	Changeable Phacelia	AH	.		Hydrophyllaceae	R	1
<i>Phacelia parryi</i> Torrey	Parry Phacelia	AH	.		Hydrophyllaceae	O	1
<i>Phacelia platyloba</i> A. Gray	Phacelia	AH	.		Hydrophyllaceae	R	1
<i>Phacelia tanacetifolia</i> Benth.	Tansy Phacelia	AH	.		Hydrophyllaceae	C	3
<i>Phacelia viscida</i> (Bentham) Torrey var. <i>viscida</i>	Viscid Phacelia	AH	.		Hydrophyllaceae	C	3
<i>Phacelia viscida</i> var. <i>albiflora</i> (Nuttall) A. Gray	White-flowered Viscid Phacelia	AH	.		Hydrophyllaceae	O	5
<i>Phalaris lemmonii</i> Walter	Lemmon Canarygrass	AG	FACW		Poaceae	R	1
<i>Pholistoma auritum</i> (Lindley) Lilja var. <i>auritum</i>	Blue Fiesta Flower	AH	.		Hydrophyllaceae	C	5
<i>Phoradendron leucarpum</i> ssp. <i>macrophyllum</i> (Engelm.) J.R. Abbott & R.L. Thomps.	Bigleaf Mistletoe	PH	.		Viscaceae	C	1
<i>Phoradendron leucarpum</i> ssp. <i>tomentosum</i> (DC.) J.R. Abbott & R.L. Thomps.	Oak or Hairy Mistletoe	PH	.		Viscaceae	C	3
<i>Pickeringia montana</i> Nutt. var. <i>montana</i>	Chaparral Pea	S	.		Fabaceae	U	4
<i>Pinus coulteri</i> D. Don	Coulter Pine	T	.		Pinaceae	R	1
<i>Plagiobothrys nothofulvus</i> (A. Gray) A. Gray	Rusty Popcornflower	AH	FAC		Boraginaceae	C	1
<i>Plagiobothrys tenellus</i> (Nuttall) A. Gray	Slender Popcornflower	AH	FACU		Boraginaceae	R	1
<i>Plantago erecta</i> E. Morris	California Plantain	AH	.		Plantaginaceae	O	1
<i>Platanus racemosa</i> Nuttall var. <i>racemosa</i>	California or Western Sycamore	T	FACU		Platanaceae	C	7
<i>Plectritis ciliosa</i> (Greene) Jepson ssp. <i>ciliosa</i>	Long-spurred Plectritis	AH	FACU		Valerianaceae	R	1
<i>Polypodium californicum</i> Kaulfuss	California Polypody	PF	.		Polypodiaceae	C	8
<i>Polystichum imbricans</i> ssp. <i>curtum</i> (Ewan) D.H. Wagner	Imbricate Sword Fern	PF	.		Dryopteridaceae	U	2
<i>Potentilla biennis</i> Greene	Biennial Cinquifol	BH	FACW		Rosaceae	R	1
<i>Prunus ilicifolia</i> (Nutt.) Walp. ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S	.		Rosaceae	C	10

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Pseudognaphalium leucocephalum</i> (A.Gray) Anderberg	White or Sonora Everlasting	A/BH	(FACU)	Asteraceae		O, 2,2	4
<i>Psilocarphus tenellus</i> Nutt.	Slender Woolly Marbles	AH	OBL	Asteraceae		C	3
<i>Pterostegia drymarioides</i> Fischer & C. Meyer	Fairy Mist	AH	.	Polygonaceae		C	6
<i>Quercus agrifolia</i> Nee var. <i>agrifolia</i>	Coast Live Oak	T	(FACU)	Fagaceae		C	10
<i>Quercus berberidifolia</i> Leibm.	California Scrub Oak	S	.	Fagaceae		C	8
<i>Quercus chrysolepis</i> Liebm.	Canyon Live or Goldcup Oak	T	.	Fagaceae		C	3
<i>Quercus wislizenii</i> ssp. <i>frutescens</i> (Engelm.) E. Murray	Shrubby Interior Live Oak	S	.	Fagaceae		S	1
<i>Ranunculus californicus</i> Bentham var. <i>californicus</i>	California Buttercup	PH	FACU	Ranunculaceae		O	1
<i>Ranunculus hebecarpus</i> Hooker & Arnott	Hebe-fruited Buttercup	AH	.	Ranunculaceae		O	2
<i>Rhamnus ilicifolia</i> Kellogg	Hollyleaf Redberry, Buckthorn	S	.	Rhamnaceae		C	3
<i>Rhinotropis cornuta</i> var. <i>fishiae</i> (C. Parry) J.R. Abbott	Fish's Milkwort	S	(FAC)	Polygalaceae		C, 4,3	4
<i>Rhus trilobata</i> var. <i>malacophylla</i> (E. Greene) Jepson	Woolly Skunkbrush	S	FACU	Anacardiaceae		S	4
<i>Rhus trilobata</i> var. <i>quinata</i> Jepson	Skunkbrush	S	FACU	Anacardiaceae		O	6
<i>Ribes californicum</i> Hook. & Arn. var. <i>californicum</i>	California Gooseberry	S	.	Grossulariaceae		O	2
<i>Ribes californicum</i> var. <i>hesperium</i> (McClatchie) Jeps.	Southern Calif. Gooseberry	S	.	Grossulariaceae		O	4
<i>Ribes malvaceum</i> Sm. var. <i>malvaceum</i>	Chaparral Currant	S	.	Grossulariaceae		C	7
<i>Ribes malvaceum</i> var. <i>viridifolium</i> Abrams	Sticky Chaparral Currant	S	.	Grossulariaceae		S	2
<i>Ribes speciosum</i> Pursh	Fuchsia-flowered Gooseberry	S	.	Grossulariaceae		C	6
<i>Rigiopappus leptocladus</i> Gray	Rigiopappus	AH	.	Asteraceae		S	1
<i>Romneya trichocalyx</i> Eastwood	Hairy Matilija Poppy	S	.	Papaveraceae		C	2
<i>Rosa californica</i> Cham. & Schldl.	California Wild Rose	S	FAC	Rosaceae		C	3
<i>Rubus ursinus</i> Cham. & Schldl.	Pacific Blackberry	PV	FAC	Rosaceae		C	6
<i>Sabulina douglasii</i> (Fenzl ex T. & G.) Dellenb. & Kabereit	Douglas Sandwort	AH	.	Caryophyllaceae		C	2
<i>Sagina decumbens</i> ssp. <i>occidentalis</i> (S. Wats.) G. Crow	Western Pearlwort	AH	FACU	Caryophyllaceae		R	1
<i>Salix lasiandra</i> Benth. var. <i>lasiandra</i>	Shining [Yellow] Willow	T	FACW	Salicaceae		O	2
<i>Salix lasiolepis</i> Benth. var. <i>lasiolepis</i>	Arroyo Willow	T	FACW	Salicaceae		C	4
<i>Salvia apiana</i> Jepson var. <i>apiana</i>	White Sage	S	.	Lamiaceae		C	9
<i>Salvia columbariae</i> Benth.	Chia	AH	.	Lamiaceae		C	6
<i>Salvia leucophylla</i> Greene	Purple Sage	S	.	Lamiaceae		C	3
<i>Salvia mellifera</i> Greene	Black Sage	S	.	Lamiaceae		C	7
<i>Salvia spathacea</i> Greene	Hummingbird Sage	PH	.	Lamiaceae		O	1
<i>Sanicula crassicaulis</i> Poepp. ex DC. var. <i>crassicaulis</i>	Pacific Sanicle, Snakeroot	PH	.	Apiaceae		C	7
<i>Sanicula tuberosa</i> Torrey	Tuberose Sanicle	PH	.	Apiaceae		R	1
<i>Scutellaria siphocampyloides</i> Vatke	Skullcap	PH	FACU	Lamiaceae		S	1
<i>Selaginella bigelovii</i> Underwood	Bigelow Spike-moss, Bigelow Little Clubmoss	PF	.	Selaginellaceae		C	8
<i>Silene antirrhina</i> L.	Snapdragon Campion, Catchfly	AH	.	Caryophyllaceae		U	1
<i>Silene nuda</i> (S. Watson) C.L. Hitchc. & Maguire	Sticky Catchfly	PH	.	Caryophyllaceae		R	1
<i>Solanum douglasii</i> Dunal	Douglas Nightshade	PH	FAC	Solanaceae		C	4
<i>Solanum xanti</i> A. Gray var. <i>xanti</i>	Chaparral Nightshade	S	.	Solanaceae		C	6
<i>Solidago velutina</i> ssp. <i>sparsiflora</i> (A. Gray) Semple	Few-flowered Goldenrod	PH	.	Asteraceae		R	1
<i>Stachys albens</i> A. Gray	Woolly or Whitestem Hedge Nettle	PH	OBL	Lamiaceae		C	5
<i>Stachys bullata</i> Benth.	Pink Hedge Nettle, Common Woodmint	PH	.	Lamiaceae		C	4
<i>Stephanomeria cichoriacea</i> A. Gray	Fort Tejon Milk-aster, Chicory-leaved Milk-aster	PH	.	Asteraceae		O	7
<i>Stipa coronata</i> Thurber	Giant Needlegrass	PG	.	Poaceae		C	5
<i>Stylocline gnaphaloides</i> Nuttall	Everlasting Nest Straw	AH	.	Asteraceae		S	1
<i>Symphoricarpos mollis</i> Nuttall	Creeping or Trailing Snowberry	S	FACU	Caprifoliaceae		C	3
<i>Tauschia arguta</i> (Torrey & Gray) J.F. Macbr.	Southern Tauschia	PH	.	Apiaceae		O	4
<i>Toxicodendron diversilobum</i> (T. & G.) Greene	Western Poison Oak	S/V	FACU	Anacardiaceae		C	7

This checklist may be reproduced for educational or scientific purposes only, with full credit given to the author.

Vascular Plants of Nordhoff Ridge, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family	Abundance	#
			Status			Status	Pops.
<i>Toxicoscordion</i> [<i>Zigadenus</i>] <i>fremontii</i> (Torrey) Rydberg	Star Lily	PH	.		Melanthiaceae	O	3
<i>Trichostema lanatum</i> Benth	Woolly Bluecurls, Romero	S	.		Lamiaceae	C	6
<i>Trifolium ciliolatum</i> Benth.	Ciliate or Tree Clover	AH	.		Fabaceae	S	3
<i>Turricula parryi</i> (A. Gray) J.F. Macbr.	Poodle-dog Bush	S	.		Namaceae	C	3
<i>Typha domingensis</i> Pers.	Southern Cattail	PH	OBL		Typhaceae	C	2
<i>Umbellularia californica</i> (Hook. & Arn.) Nutt. var. <i>californica</i>	California Bay	T	FAC		Lauraceae	C	5
<i>Viola purpurea</i> Kellogg ssp. <i>purpurea</i>	Purple or Mountain Violet	PH	.		Violaceae	S	1
<i>Viola purpurea</i> ssp. <i>quercetorum</i> (M. Baker & J. Clausen) R.J. Little	Oak Violet	PH	.		Violaceae	S	1

Notes: Scientific nomenclature follows the Flora of North America Editorial Committee (1993-2018), *The Jepson Manual* (Baldwin et al. 2012), Baker et al. (2012 for Phrymaceae), Nesom (2012a & 2012b for *Erythranthe*, 2013 for *Diplacus*), Tulig & Nesom (2012 for *Diplacus*), Hasenstab-Lehman & Simpson (2012 for *Cryptantha*), Burge & Zhukovsky (2013 for *Ceanothus vestitus* complex), Schneider (2016 for *Aphyllon*), Colwell et al. (2017 for *Aphyllon*), and Broich (1987 for *Lathyrus vestitus*). Most current taxonomy is followed when changes have occurred since publication of the above listed references. Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980). An "*" indicates non-native taxa that have become naturalized or persist without cultivation.

Habit definitions:

AF = annual fern or fern ally.	PG = perennial grass or graminoid.
AG = annual grass or graminoid.	PH = perennial herb.
AH = annual herb.	PV = perennial vine.
BH = biennial herb.	S = shrub.
PF = perennial fern or fern ally.	T = tree.

Wetland indicator status (Lichvar et al. 2016): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)

FACW = facultative wetland species, usually found in wetlands (67-99% probability).
 FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).
 FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).
 A period "." indicates that no wetland indicator status has been given in Lichvar et al. (2016).
 Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney.

Abundance status definitions:

R = Rare (1-5 extant populations known)	FE = Federally listed Endangered	1A = CNPS 1A
U = Uncommon (6-10 extant populations known)	FT = Federally listed Threatened	1B.x = CNPS 1B
S = Scattered (11-20 extant populations known)	SE = California listed Endangered	2.x = CNPS 2
O = Occasional (21-30 extant populations known)	ST = California listed Threatened	3.x = CNPS 3
C = Common (>30 extant populations known)	SR = California listed Rare	4.x = CNPS 4
X = Expected but not yet found	FS = Forest Service Sensitive Species	
T = Type Locality		

Developed by David L. Magney 2011, updated 2023 (version 2.5). Checklist may be used for educational and nonprofit purposes only.

Based on voucher specimens at one or more California public herbaria and direct observations by author.